HANSER



Stichwortverzeichnis

Gregory A. Campbell, Mark A. Spalding

Analyzing and Troubleshooting Single-Screw Extruders

ISBN (Buch): 978-3-446-41371-9

ISBN (E-Book): 978-3-446-43266-6

For further information and order see

http://www.hanser-fachbuch.de/978-3-446-41371-9

or contact your bookseller.

© Carl Hanser Verlag, München

Author

A

Abrantes *117, 141, 705, 706, 708, 712, 713*
Adams *97, 98, 99, 100, 102*
Agassant *255*
Agur *132, 173, 279, 281*
Alemanskin *336*
Allen *53, 255*
Alotaibi *118*
Altinkaynak *119, 121, 152, 195, 197, 200, 212, 213, 445, 447, 574, 587, 601, 695*
Anderson *368, 369, 370, 371, 372, 373*
Angel *374*
Anolick *662*
Arcer *24, 51, 68, 70, 101*
Armeniades *368*
Armstrong *76*
Avenas *255*
Avérous *25*
Avgousti *228*

B

Baba *200, 226*
Baer *32*
Baird *132, 146, 147, 149*
Baker *377, 663*
Balch *257*
Balke *495*
Bar *486*
Barlow *438, 440*
Barr *6, 199, 225, 255, 365, 366, 367, 400, 419, 536, 575, 626, 635, 639, 641, 643, 645*
Beagan *332*
Benkreira *333, 346, 347, 374, 523*
Berghaus *174*
Bernhardt *303*
Berry *101*
Biesenberger *662*
Bigio *337, 353, 498, 515, 662*
Billham *379*
Bird *76, 261*
Black *332, 333*
Blackson *486*
Bohn *151*
Bokis *661, 671*
Bomma *338*
Booy *256*
Boussinesq *255, 744*
Boyd *353*
Bozzelli *238, 374*
Bremner *377*
Brittin *374, 523*
Brizzolara *662*
Brown *661, 671*
Broyer *92, 139, 142*
Bruin *257*
Bruker *257, 258*
Buchelli *661, 671*
Buck *649*
Bullwinkel *11, 132, 146, 147, 200, 201, 203, 205, 222, 250, 251, 252, 253, 259, 260, 263, 297, 298, 299, 300, 301, 304*
Butler *119, 192, 484, 485*

C

Calidonio *495*
Call *661, 671*
Calland *634*
Camesasca *336*
Campbell *11, 13, 97, 98, 99, 100, 102, 117, 118, 132, 139, 140, 141, 146, 147, 149, 151, 171, 200, 201, 203, 204, 205, 222, 250, 251, 252, 253, 258, 259, 260, 263, 269, 270, 279, 287, 297, 298, 299, 300, 301, 304, 317, 318, 319, 338, 445, 657, 705, 706, 707, 708, 709, 712, 713*
Canedo *374*
Carley *254, 255, 256, 272, 292, 388, 391, 481*
Carlson *11, 205, 222, 279, 317, 318, 319, 657*
Carnahan *28, 46*
Carreau *104, 255*
Çengel *150*
Ceraso *332*
Chang *257, 333*
Chella *334*
Chempath *338*
Chen *25, 144, 349, 498, 501*

Cheng *11, 205, 222, 250, 251, 252, 253, 259, 260, 263, 297, 298, 299, 300, 301, 302, 304*
Cheung *32*
Chiruvella *258*
Cho *119, 121, 212, 213, 333*
Christiano *176, 632*
Christie *408*
Chum *24, 32*
Chung *6, 119, 121, 199, 212, 213, 227, 235, 255, 353, 375, 377, 378, 388, 389, 400, 419, 536, 542, 572, 575, 592, 626, 635, 657, 663*
Cieslinski *27*
Clap *257*
Clarke *379*
Clegg *377, 663*
Cleven *332*
Cohen *24, 51, 68, 70, 101, 119, 121, 124, 189, 194, 196, 227, 376, 533, 572, 695*
Collias *132*
Conant *16*
Conner *498, 515*
Connor *337*
Costa *661, 671*
Cox *94, 446, 451, 454, 541, 542*
Coyle *258*
Crabtree *119, 121, 152, 195, 197, 200, 212, 442, 445, 447, 574, 587, 601, 695*
Crawford *116*
Cross *104*
Cubberly *151*
Curtiss *76*

D

Dai *363*
Darnell *115, 134, 137, 138, 140, 143, 151*
Darus *486*
David *365, 367*
Davis *174, 177, 178, 646*
Dealy *76, 93, 100, 101*
Degee *25*
deGroot *100*
Dekker *228*
Dennis *333*
Derezinski *112, 167, 442, 446, 454, 729*
Devellian *368*
de Waele *103*
Dey *662*
Dhib *53*
Donovan *199*
Dontula *11, 13, 139, 140, 141, 151, 205, 222, 258, 259, 263, 269, 270, 279, 304, 705, 706, 707, 708, 709, 712*
Dooley *11, 119, 124, 160, 164, 203, 257, 279, 351, 352, 447, 451, 461, 498, 515, 636, 637, 638, 640, 641*
Dray *355, 626, 649*
Dubois *25*
Duvdevani *194, 199, 203, 208, 446*
Dyer *257*

E

Eccher *257*
Edmondson *446*
Edwards *333, 346, 347*
Effen *596*
Eirich *100*
Elbirli *200, 218, 226, 258*
Elemans *332, 376*
El-Kindi *377, 663*
Embirucu *661, 671*
Epacher *33, 51*
Erwin *337, 353*
Esseghir *257, 258, 365, 367*

F

Fan *614, 634*
Fasano *371*
Felton *11, 205, 222, 250, 258, 259, 304*
Fenner *199, 256, 257, 388, 446, 451, 454, 541, 542, 666*
Ferry *77, 102*
Finlayson *11, 254, 255, 256, 267, 304, 306*
Fogarty D. *680*
Fogarty J. *680*
Fogler *408*
Fontan *53*
Fox *100, 101*
Franjione *661, 671*
Frankland *161, 596, 650, 651*
Franzkoch *176, 177, 178*
Fraser *258*
Frencham *28, 46*
Fritz *25*
Fujiki *377, 663*
Fujiyoshi *26*
Fukase *200, 203*
Furches *374*

G

Gailus *353*
Galaktionov *368, 369, 370*
Gale *329, 332, 365*
Gao *235*
Garcia-Meitin *486*
Germano *248*
Geyer *626*
Ghosh *333*
Giles *192, 419, 442*
Gilette *132, 146, 147*
Gilmor *495*
Gleissle *96*
Gogos *69, 102, 103, 124, 228, 294, 302, 365, 367, 482, 578*
Golding *661*
Gore *255, 256, 297*
Gottgetreu *200, 226*

Gould *408, 465, 468*
Gramann *174, 177, 178*
Gratch *100*
Gregory *355*
Griffith *256, 257*
Grob *495*
Grout *368*
Grünschloß *175, 178*
Guerra *485*
Guerrieri *661, 671*
Guo *388*
Gupta *119, 121, 152, 195, 197, 200, 212, 213, 445, 447, 574, 587, 601, 695*

H

Halasz *199*
Hall *119*
Halley *25*
Halmos *199, 204, 221*
Hamielec *53*
Han *349, 356, 629*
Hanhart *388*
Hara *116*
Harrah *175*
Harris *26*
Hassager *76*
Hasson *257*
Hattori *26*
Headley *492*
Heaney *379*
Hemsley *486, 487*
Heniche *371*
Hennessey *119*
Hiemenz *42*
Hiltner *32*
Himmelblau *442*
Hindmarch *365*
Hinton *140, 151, 158, 172, 578, 705, 708*
Ho *33*
Hoang *53*
Hoenig *28, 46*
Hoffmann *578*
Hogan *119, 121, 212, 213, 639, 643, 645*
Hong *119, 121, 212, 213*
Hook *646*
Hovis *479, 499*
Hrymak *373*
Hsieh *33*
Hsu *626*
Huck *377, 663*
Hudak *649*
Hughes *110, 116, 117, 160, 171, 365, 366, 367, 578, 651, 705*
Hunt *259, 298*
Hunter *333*
Hyun *11, 110, 112, 113, 116, 117, 119, 120, 121, 122, 124, 131, 139, 140, 142, 150, 151, 152, 154, 158, 160, 164, 171, 172, 189, 194, 196, 203, 225, 227, 231, 237, 257, 279, 330, 351, 352, 376, 392, 447, 451, 461, 466, 467, 498, 515, 533, 541, 542, 543, 545, 548, 572, 574, 578, 595, 598, 636, 637, 638, 640, 641, 695, 705, 706, 708, 710*

I

Iliuta *26*
Ingen Housz *174, 176, 177, 200, 203*
Ingen-Housz *365, 367*
Isayev *3, 462, 514*
Isherwood *541, 542*
Ito *26, 101*

J

Jacobsen *25*
Jaluria *257, 258*
Janssen *334*
Jenkins *119, 231, 237, 545, 695*
Jepson *124, 254, 313, 314, 595*
Jerome *25*
Jia *178*
Jin *178, 235, 236*
Johnson *33, 368*
Jons *492*
Jung *314*
Juvinall *421*

K

Kacir *230*
Kamal *3, 462, 514*
Kang *373*
Karlbauer *356, 393*
Karwe *257*
Kaufman *336*
Keum *314, 446*
Khariwala *32*
Kim *119, 121, 124, 212, 213, 314, 333, 336, 626, 639, 643, 645, 658*
Kirkland *6, 536, 635*
Kirkpatrick *119, 120, 131, 150, 152, 231, 542, 695*
Kislansky *661, 671*
Klein *8, 14, 131, 134, 135, 138, 139, 140, 143, 151, 194, 196, 199, 200, 201, 202, 203, 205, 207, 208, 211, 212, 214, 218, 222, 226, 227, 234, 235, 254, 256, 257, 286, 287, 303, 306, 356, 375, 376, 446, 541, 542, 551, 572, 575, 596, 712, 722, 724, 725, 726, 727, 730, 750*
Klenk *194*
Kodjie *485*
Koppi *332*
Koyama *362, 363*
Kramer *124, 437, 440, 546*
Kreith *151*
Krohnke *33, 51*
Kruder *388, 614, 633, 634*
Kuhman *645, 646*
Kumari *26*

Kunio *200, 203*
Kurata *69*
Kwade *116*

L

Lacher *218, 625*
Ladin *126*
Lafuente *53*
Landel *77, 102*
Larachi *26*
Larson *76, 645, 646*
Laurence *248, 295*
Lawrence *626, 649*
LeBlanc *408*
Leder *34*
Lee *228, 349, 356, 629*
Lepore *651*
LeRoy *354, 355*
Liauw *53*
Lightfoot *261*
Lin *257*
Lindt *200, 203, 218, 226, 258, 333, 498, 501*
Ling *337*
Liu *3, 25, 462, 514, 596*
Liu R. *235, 236*
Liu T. *235, 236*
Lobo *124*
Lodge *42*
Loshaek *100*
Lounsbury *419*

M

Mack *374*
Macosko *76, 80, 84, 92, 97*
Maddock *110, 193, 194, 199, 355, 418, 419, 453*
Mager *408*
Maillefer *218, 223, 361, 625, 663*
Mallouk *254, 255, 256, 272, 292, 297*
Maloney *671, 672*
Malvern *261, 293, 294, 295, 304*
Manas-Zloczower *329, 336, 365*
Maraschin *661*
Marshall *446*
Marshek *421*
Matsuoka *257*
McClelland *119*
McCullough *124, 125, 390, 409, 567, 599, 605*
McKelvey *254, 255, 256, 272, 292, 297, 303, 388*
McManus *53*
McNally *332, 379*
Meijer *174, 176, 177, 200, 203, 334, 368, 369, 370, 371, 372, 373*
Meister *98*
Menges *176, 177, 178, 194*
Merz *94*
Metzner *287*
Miaw *257*
Middleman *83, 255, 297, 302, 303*
Mihara *377, 663*
Miller *133*
Moffat *346*
Mohr *254, 255, 256, 257, 297*
Mokhtarian *337*
Mol *115, 134, 137, 138, 140, 143, 151*
Molnar *199*
Mondcai *199*
Moore *124, 332*
Morgan *479, 499*
Morrison *76, 81, 83, 688, 690*
Mount *119, 121, 192, 227, 419, 442, 572, 592*
Moysey *141, 143, 144, 145, 146*
Murakami *125*
Murphy *332, 379*
Myers *365, 366, 367, 421, 427, 639, 641, 643, 645, 652*

N

Nagarajan *118*
Naguib *126*
Naumovitz *237, 545*
Nazrisdoust *279, 657*
Nelb *119, 518, 695*
Nichols *388, 634*
Nomura *200, 203*
Norden *365, 367*
Noriega *174, 177, 178*

O

Ober *24, 51, 68, 70, 101*
Ogando *537*
Oka *125*
Okamoto *26*
Osswald *174, 177, 178*
Ostwald *103*
Ottino *334*

P

Pan *178*
Paquet *24*
Park C. B. *126*
Park S. *126*
Parnaby *112*
Patal *314*
Patterson *119, 180, 181, 518, 695*
Paul *116, 333*
Pavlicek *442, 447*
Pearson *199, 204, 221, 257*
Peiffer *178*
Penlidis *53*
Penumadu *117, 140, 141, 151, 171, 705, 706, 708, 712, 713*
Perdikoulias *442, 492, 634*
Pessoa *661, 671*
Peters *365, 367, 368, 369, 370*

Phal *479*
Pham *447, 467, 548, 595*
Pinto *256*
Pittman *255*
Platt *411*
Platzer *661*
Plumley *640*
Pocius *332*
Potente *178, 179, 194, 277, 388, 389, 596*
Powell *377, 378, 657, 663*
Powers *119, 131, 154, 158, 225, 237, 330, 365, 367, 466, 541, 545, 574, 737*
Prausnitz *671, 672*
Prentice *112*
Prettyman *645, 646*
Psarreas *53*
Puhalla *421*
Pukhanszky *33, 51*

Q

Qiu *112*

R

Rabinowitsch *84*
Rahim *118*
Ramanathan *492, 661, 671*
Ramesh *102*
Raphael *368*
Rashid *255*
Rasmussen *102*
Reber *175*
Redwine *100*
Reeder *371*
Rehg *492*
Reski *388*
Reuschle *486*
Robinson *287*
Rodriguez *24, 26, 27, 28, 37, 42, 51, 53, 59, 68, 69, 70, 78, 79, 83, 97, 101*
Rokudai *377, 663*
Rom-Roginski *495*
Ronaghan *176*
Rotem *257*
Rowell *11, 254, 255, 256, 267, 304, 306*
Rubens *24*
Rudin *377, 663*

S

Salamon *332, 365, 367*
Sandall *314*
Sastrohartono *257*
Sato *125*
Saucier *76, 93*
Savargaonkar *485*
Saxton *254*
Scheirs *485*
Schellenberg *34*
Schlafi *133*
Schneider *115, 116, 138, 140, 142, 143, 150*
Schöppner *179, 353*
Schreiber *377, 663*
Schrenk *492*
Schultz *437, 440*
Schulze *116*
Schwank *332, 379*
Schwedes *116*
Scorah *53*
Sebastian *228, 578, 662*
Semmekrot *365*
Sergent *255*
Sernas *257, 258*
Serrano *365, 367*
Shales *333, 346, 347*
Shanker *492*
Shapiro *199, 204, 221*
Sheth *614, 634*
Shinnar *257*
Shinya *200, 203*
Shishido *101*
Sickles *133*
Sikora *175*
Singh *371, 372, 373*
Skochdopole *674*
Slusarz *632*
Small *118*
Smith *26, 112, 133, 391, 465, 468, 479, 481, 499, 546, 614, 634, 649, 662*
Somers *203, 351, 352, 365, 367, 636, 637, 638, 640, 641, 651*
Spalding *11, 110, 112, 113, 116, 117, 119, 120, 121, 122, 124, 125, 131, 139, 140, 142, 150, 151, 152, 154, 158, 160, 164, 171, 172, 180, 181, 189, 194, 195, 196, 197, 200, 203, 204, 205, 212, 213, 222, 225, 227, 231, 257, 279, 287, 317, 318, 319, 330, 336, 351, 352, 365, 366, 367, 376, 390, 391, 392, 409, 442, 445, 447, 451, 461, 465, 466, 468, 498, 504, 515, 518, 533, 541, 542, 543, 567, 572, 574, 578, 587, 598, 599, 601, 605, 636, 637, 638, 639, 640, 641, 643, 645, 646, 651, 657, 695, 705, 706, 708, 710*
Squires *14, 257*
Stangland *119, 124*
Staples *118*
Starr *257*
Steward *133, 546, 632*
Stewart *261*
St. John *338*
St. Louis *545*
Stolp *257*
Stoughton *479, 499*
Stowe *132, 146, 147*
Strand *11, 139, 257, 279, 447, 451, 498, 515*
Street *193*
Strub *256*
Sugden *578*
Sulzer Chemtech *370, 371*

Sumner *365, 367*
Svabik *634*
Swain *336*
Sweeney *11, 13, 205, 222, 250, 258, 259, 263, 269, 270, 279, 304*
Swogger *28, 32, 46*
Szeri *231*

T

Tadmor *8, 14, 69, 102, 103, 124, 131, 134, 135, 138, 139, 140, 142, 143, 151, 194, 199, 200, 201, 202, 203, 205, 207, 208, 211, 212, 218, 222, 226, 230, 235, 254, 256, 257, 286, 287, 294, 302, 303, 306, 329, 356, 375, 446, 482, 541, 575, 712, 722, 724, 725, 726, 727, 730, 750*
Takahashi *257, 362, 363*
Takatani *26*
Tang *11, 200, 201, 202, 203, 204, 228, 229, 445*
Tanguy *371*
Tanifuji *362*
te-Riele *11, 205, 222, 250, 251, 252, 253, 259, 260, 263, 297, 298, 299, 300, 301, 304*
Thiel *356, 393*
Thompson *118, 141, 143, 144, 145, 146, 542, 632*
Tobin *408*
Todd *124, 125, 314, 365, 367, 391, 481, 578, 658*
Trumbull *336, 545*
Tsumashima *69*
Tucker *314*
Tung *248, 295*
Tusim *119*
Tzoganakis *53, 126, 492*

U

Uhl *446*
Umeya *116*

V

Valentinotti *257*
Valsamis *374*
Van Prooyen *377*
van Wunnik *332, 376*
Van Zuilichem *257*
Verbraak *200*
Vieira de Melo *661, 671*
Vlachopoulos *53, 132, 173, 279, 281, 419, 614, 634*

W

Wagner *119, 131, 175, 192, 330, 419, 442, 466, 578*
Wakeman *33*
Walia *379*
Walker *24, 132*
Walsh *126, 391*
Wang *11, 13, 32, 139, 140, 151, 178, 200, 201, 203, 205, 222, 250, 251, 252, 253, 258, 259, 260, 263, 269, 270, 279, 297, 298, 299, 300, 301, 304, 336, 365*
Weeks *255*
Welsh *674*
Werling *377, 378, 657, 663*
Wheeler *287, 349, 356, 546, 629, 632*
Whissler *287*
White *314, 333, 446, 658*
Williams *77, 102, 388*
Womer *133, 175, 431, 546, 634, 649, 651*
Wong *235, 236*
Wood-Adams *100, 101*
Woods *332*
Wortberg *175, 495*

X

Xie *25*
Xue *178*

Y

Yamamuro *117, 140, 141, 151, 171, 705, 706, 708, 712, 713*
Yamashita *363*
Yang *662*
Yao *362, 363*
Youngson *119, 518, 695*
Yu *25, 365, 367*

Z

Zafar *578*
Zamodits *257*
Zawisza *119, 518, 695*
Zhang *337*
Zhu *53, 144, 235, 236, 349*
Zitzenbacher *356, 393*
Zoller *126, 391*
Zweifel *133*

Subject

A

abrasive *466*
Abrasive purge *494*
abrupt reduction *512*
absorbed water *53*
abstracted *52*
a cast film *507*
active center *43, 45*
addition polymerization *40*
addition reactions *43*
agglomerated *500*
agglomerates *334, 374*
air bubbles *530*
air-cooled zone *546*
alignment *421, 422*
alkyd resin *41*
alternating current *436*
alternative hypotheses *411, 413*
amorphous *35, 39*
amortized *466*
amperage *435*
analyzing gels *484*
anecdotal information *413*
angular velocity *91, 297, 300*
antioxidants *47, 51, 52, 494*
apparent shear rate *83*
atactic *34*
average channel width *10*
average shear rate *274*
average shear viscosity *274*
axial length *10, 446*
axial pressure *196, 198, 504, 659*
axial pressure profile *216*
axial screw temperature *454*

B

Bagley correction *81, 82*
baker's fold *336, 368*
barrel *1, 421, 445*
barrel axis *422*
barrel cooling *552*
barrel diameter *8*
barrel flange *575*
barrel heaters *1*
barrel length *177, 351*
barrel rotation *254, 297, 300, 301, 307, 318*
barrel support *422, 423, 424*
barrel temperatures *403, 415, 442, 443, 452, 611*
barrel temperature setting *409*
barrel wall *223, 452, 611*
barrel zone temperatures *611*
Barr Fluxion ring mixer *365*
barrier *221*
barrier design *626*
barrier flight *219, 223, 224, 509, 625*
barrier-flighted *352*
barrier-flighted screws *507*
barrier melting *190, 218, 415, 507*
barrier screw *218, 223, 225, 520, 521, 629*
barrier section *224, 511, 512*
barrier section melting model *226*
Barr-II *630*
Barr-III *630*
baseline extrusion process *389*
bed thickness *222*
belt sander *458*
best solution *408*
Bingham plastic *65*
black carbonized *518*
black char *47*
black color streaks *525*
black degraded resin *527*
black specks *53, 493, 518, 631*
black streaks *516, 520, 523, 525*
blending *330*
blister mixers *333, 353, 359, 360, 577, 667, 669*
blockage *415, 566, 572*
blocked screens *478*
blowing agent *332, 364*
blow molding *510, 619*
boiling point increase *61*
bottlenecks *591*
boxy *250*
break *425*
breaker plate *478, 482*
breakup *194, 573*

bulk density *110, 111, 239, 410*
bulk temperature *409*
burned out *432*

C

calibration *432*
Campbell-Dontula model *143*
capillary rheometer *80, 687*
carbonaceous deposit *631*
carbon specks *501*
case study *411*
casing temperatures *544*
Cavity Transfer Mixer *365*
ceiling temperature *49, 50*
change in rate *227*
channel curvature *256*
channel depth *8, 223*
chaotic mixing *336, 338, 339, 341, 344*
Charles Ross & Son Company *372*
Chemineer Incorporated *370*
chrome plated *483*
chromium *44*
circulation channel *681*
clean *431*
clearance *357, 361, 419*
coefficients of friction *119, 445, 562*
cold screw *425*
cold start *425*
colligative *61*
Colmonoy *456*
color masterbatches *374, 478, 500, 523, 524*
color streaks *354, 501*
comonomer *39*
compaction *110, 112, 195*
complex viscosity *93*
component cost *465*
composition *333*
compounder *604*
compounding line *610, 661*
compression rate *191, 192, 399, 410, 414, 440, 441, 520, 531, 577*
compression ratio *191, 192, 399, 404, 414, 440, 520, 531, 573, 577*
concentrate *374, 500*
concentration *337*
concentration peaks *343*
concrete floor *422*
condensation *53*
condensation reactions *40*
conduction pathway *238*
cone *91*
cone and plate rheometer *691*
contamination defects *477, 498, 501, 513, 521*
continuous screen changers *479*
continuum statics based models *141*
control *532*
control algorithms *554*
control volume *314, 316, 317*
conventional melting *226*
conventional screw *349*
conveying rate *164, 165*
convey solids *560*
cool *552*
cooling coils *675*
cooling extruder *591*
cooling level *553*
cooling water *552, 586*
cooling water flow *544*
core *251*
core drag flow *258*
core rotation *253*
correction factor Fc *393*
correction factors *273, 290*
corrosive *466*
cost effective *471*
cotton fiber *490*
crack *236, 420*
crammer feeder *615*
creep *74*
critical molecular weight *62, 63, 98*
critical temperature *593*
cross-channel flow *264*
cross-channel velocity *262, 265*
crosslinked *32, 46, 48*
crosslinked gels *487, 493, 495, 496*
cross section *351*
curvature *497*
curved channels *256*
cycle time *533*

D

data acquisition *558*
data acquisition system *417, 544, 554, 565, 570, 584*
decompression section *577*
decrease the rate *190*
deep channel *278, 320*
deeper channel *438*
deep screw *301*
defect *408, 529*
degradation process *48*
degradation products *46, 52, 237, 356, 358, 362, 466, 491, 495, 497, 512, 514, 518, 521, 527, 529*
degree of crystallinity *38*
dehydrohalogenate *50*
depolymerize *50*
design *454, 629*
design defect *512*
deterministic chaos *338*
devolatilization *364, 662*
die swell *72*
dilatant *65*
direct compounding *379*
direct current *436*
discharge *350*
discharge pressure increases *151*

discharge pressures *154, 164, 227, 252, 274, 376, 387, 402, 409, 467, 595, 606, 608*
discharge temperature *227, 297, 302, 317, 318, 319, 375, 401, 409, 442, 445, 451, 542, 593, 597, 598, 608, 609, 614, 628, 648*
discharge tip *459*
dispersed *339*
dispersive *177, 331, 598*
dispersive mixer *334, 359, 377*
dispersive mixing *333, 360*
dissipation energy *36, 58, 67, 205, 211, 212, 222, 297, 300, 304, 305, 306, 307, 621, 676*
distributive melt mixing *645*
distributive mixing *178, 333, 362*
DM2 high-performance screw *235, 524, 633, 645, 646, 647*
double bond *51*
Double Wave screws *614, 622, 633*
downstream equipment *422*
drag flow *11, 254, 255*
drag force *600*
dried properly *514*
drier *500*
drive shank *459*
drying air *499*
DSB-II *632*
DSB-III *632*
dual-cavity screen *479*
dust *477*
dust seal *429, 430*
dye *343*
dynamic friction *561, 600*
dynamic mixers *364*

E

Eagle mixing tip *646*
elastic *73*
elastic deformation *63, 64*
electrical component *409*
electronic filters *433*
elongate *348*
elongation *347*
elongational flow *334*
elongation rate *333*
encapsulate *231*
energy balance *207, 316, 439*
energy dissipation *66, 248, 256, 301, 302, 303, 304, 315, 354, 611, 616*
energy equation *257, 277*
energy flux *511*
Energy Transfer screws *235, 633*
engineering design approach *389*
enhanced mixing *639*
entrained air *195, 514, 533*
entrained gas *191*
entrained solid *387*
entrapment *477*
entropy *336*
entropy of mixing *335*
entry *536*
equipment failures *477*
ET (Energy Transfer) screws *401, 518, 536, 622, 626, 635, 636, 638, 639, 640, 678*
Eulerian *259*
Eulerian reference frame *304*
excessive wear *511*
existing experimental data *392*
exit *536*
experience *392*
experimental plan *415*
exponentially *340*
extended startup times *470*
extended wear *575*
extrudate *477, 602*
extrudate temperature *320, 417, 623*
extruder *339*
extruder diameter *388*
extrusion trial *554*

F

facing materials *419*
failed *432*
failure *596*
Fc correction factor *289, 292*
FDM *257, 277, 280, 281*
feed casing *133, 420, 421, 562, 574, 575, 578, 580*
feed channel depth *533*
feed hopper *132*
feed section *439, 560, 561, 586, 612*
feedstock pellets *238*
FEM *257, 277*
field-weakened *436*
film interface *347*
fines *330*
finite difference *257, 657, 666*
finite element *258*
fit-checked *425*
five-zone melting model *200*
fixed boundary problem *262*
flange diameter *583*
flash evaporate *552*
flight clearance *375, 581, 598*
flight radii *321, 496, 497, 498, 499, 517*
flight starts *8*
flight undercuts *416*
flight wear *596*
flight width *8*
flood-fed *18*
flow channels *457*
flow rate *297*
flow surging *214, 227, 507, 541, 543, 554, 564, 575, 583, 586*
fluid element *348*
fluid flows *250*
flute *356*
foaming temperature *674*

foreign contamination *488*
foreign material *477*
Four-channel Energy Transfer *679*
four films *210*
four melt films *204, 221, 721*
four polymer films *209*
fragments *234, 350, 354, 357, 363, 572, 592*
frame indifference *262*
free helix *250, 251, 259*
free helix extruder *338, 344*
free radicals *44, 51*
freezing point depression *61*
frequency *437*
full 3-D equation *393*
Fusion screws *235, 633, 649*

G

galling *596*
gas bubble *483*
Gaussian *60*
gearboxes *421, 435, 436*
gear mixer *354, 360, 364, 622, 667*
gear pump *548, 557, 584*
gel analysis *485*
gels *484, 489, 508, 600*
gel showers *501*
gel type *478*
generalized Newtonian method *281, 282, 286, 288*
general purpose screw *153*
geometry *454*
glass barrel *250*
glass transition temperature *33, 36, 98*
glassy polymers *37*
gloss *377, 378*
gradients *355*
gravimetric blending *467*
gray parts *516*
grinding lathe *458*
grooved bore extruders *133, 174, 179, 632*
grooved bore liner *176*
grooved feed section *178*

H

halo surface defects *515*
handheld thermocouple measurement *417*
hard facing *419, 420, 456, 596*
haze *377, 378*
heat capacity *123*
heat conduction *454*
heat flux *148, 154, 584*
heat flux sensors *148*
heat of mixing *335*
heat soak *425*
heat transfer *314, 315*
heat transfer coefficient *124, 313*
helical *339*
helical channel *248, 259*
helical coordinates *10*
helix *250, 251, 253, 259*
helix angle *9*
helix-driven flow *253*
helix rotation *253*
higher compression *535*
higher modulus *415*
high-performance *627*
high-performance cooling screw *678*
high-performance design *400*
high-performance screw *235, 349, 519, 528, 568*
high-pressure event *428*
high-pressure separator *661*
high-quality *525*
high-rate profile *400*
high scrap rate *520*
high temperature *586*
holes *510*
homogenizing *331, 335, 353, 367, 602*
homogenous polymers *37*
hot-stage microscope *484*
Huggins function *70*
humidity level *499*
hydraulic back pressure *464*
hydrolysis *53*
hypothesis *411, 413*
Hyun-Spalding model *142*

I

impact properties *61*
Improper drying *499*
improper labeling *477*
incompletely melted polymer *530*
incumbent resin *413*
induced stresses *236*
inefficiencies *440*
inert gas *496*
inertial terms *262*
initiators *44*
injectate temperature *463*
injection-molding *412, 462, 513, 516, 517, 525, 536*
inlet pressure *549, 584*
in-line production *332*
in-plant regrind *466*
inside diameter *419*
instantaneous rate *464, 543*
intensification factor *464*
interfacial surface area *337, 348, 368*
intrinsic viscosity *67*
IR temperature *417*
isocyanate *41, 42*
isotactic *34*

K

Kelvin solid *74*
Kenics mixer *368*
KMX mixer *371*

knob mixer *354, 363*
Kraemer function *70*

L

labor *465*
laboratory frame *268*
Lagrangian frame *11, 259*
land widths *321*
large flight clearance *421*
large radii *520*
large-radii screw *164*
larger flight clearance *580*
lead length *8, 321, 438, 607, 609*
leakage flow *306*
leathery *529*
ledge *575*
levels of gloss *515*
light scattering *62*
liquid additives *364*
liquid injection *360*
local high temperature *521*
local pressure *217*
log normal distribution *98*
loss modulus *93*
low compression ratio *517*
lowest cost provider *465*
low-pressure separator *661, 671, 672*
low viscosities *374*
lubricating oil *419, 429*

M

Maddock melting mechanism *199, 200*
Maddock mixer *333, 509, 632*
Maddock solidification *110*
Maddock solidification experiments *193, 216, 217, 351, 418, 453*
magnetic collection *482*
Mark-Houwink-Sakurada equation *70*
mass rate *206*
masterbatches *374, 375, 523*
material degradation *541*
mathematical models *200*
maximum torque *425, 426*
Maxwell fluid *75*
measurement noise *548*
measuring instruments *416*
melt-conveying channels *221*
melt density *125, 126*
melted mass *156*
melt-fed extruders *279, 657*
melt film *348, 628*
melt film interface *348*
melt film thickness *214*
melt filtration *478*
melt flow index *94*
melt infiltration *217, 234*
melting *189, 351, 352*
melting abilities *639*
melting capacity *592, 628*
melting flux *121, 189, 196, 347, 601*
melting mechanism *193, 230*
melting-mixing *374, 644*
melting process *199, 200, 237, 346, 347, 351, 627*
melting rate *121, 212, 227, 442, 721*
melting section *499, 542, 547*
melt pool *216, 217*
melt pump *467*
melt temperature *318, 319*
mesh *479*
Metal fragments *420, 482*
metallocene *44*
metering section *219, 259, 320, 415, 438, 439, 532*
micrometer *416*
milling lathe *461*
milling process *457*
misalignment *421, 422*
mitigating gels *493*
mixer *354, 356, 439*
mixing *190, 321, 330, 338, 346, 347, 351, 352, 353, 367*
mixing device *355*
mixing flight *354, 355, 356, 361, 509*
mixing quality *376*
mixing section *458*
Moffat eddies *321, 346, 497*
molecular branching *97*
molecular weight *57, 58, 67, 97, 98*
molecular weight distribution *46, 57, 58, 97, 98*
molten resin *547*
momentum balance *277*
motor controls *429*
motor current *409, 415, 431, 432, 435, 576*
motor power *592*
motors *436*
moving boundary *260*
moving boundary problem *262*

N

negative pressure gradient *602*
new barrel *521*
new screw design *416*
Newtonian viscosity *58, 62, 82*
nitrogen inerting *496, 673*
non-Newtonian shear rheology *293*
nonorthogonal coordinate transformation *248*
nonreturn valve *365, 462, 521*
number average *58, 60*
numerically *343*
numerical method *288*
numerical simulation *657*
numerical solutions *257*

O

off-specification *407*
one-dimensional melting *228, 232, 234*
operations downstream *543*
oscillate *584*
oscillating depth *680*
oscillation mode *92*
osmotic pressure *61*
Ostwald viscometer *68*
overall stretching *338*
oversized in diameter *578*
overspeeding *437*
oxidation *47, 52, 53*
Oxidized gels *486*
Oxygen exclusion *496*

P

paired flutes *355*
parison temperature *620*
partially filled 503, 518, 555
particles *340*
payback time *619*
pellet *146*
pelletization *657*
pendant groups *31*
periodic undercut *680*
peroxide *52, 53*
phase shift *93*
physical description *199*
pigment *331, 374*
pineapple mixer *354*
pin mixer *354, 362, 598*
plant and equipment *465*
plasticate *320*
plasticating extruders *507*
plasticating screw *536*
plastication rate *463*
plate rheometer *91*
plating *459*
plug flow *145*
polyacetal *53*
polyamides *41, 42*
polycarbonate *53*
polydispersity index *62*
polyester *41, 53*
polyethers *42*
polymer fragments *480*
polymer viscosity *213*
polyolefin *484*
polyolefin-type gels *480*
polyurea *41*
polyurethane *41, 53*
poor housekeeping *477*
poorly aligned barrel *425*
potential energy barrier *36*
power *435, 439, 440*
power factor *438, 440*
power law index *293*
pressure *14, 97, 567*
pressure change *215, 482*
pressure discharge control unit *146*
pressure-driven flow *272*
pressure drop *481*
pressure flow *11, 12, 254, 255, 287, 410, 439, 464*
pressure flow velocity *267*
pressure fluctuation *444*
pressure generation *319*
pressure gradient *14, 216, 286, 320, 387, 504, 599, 604, 609*
pressure oscillation *566*
pressure profile *198, 215, 547*
pressure rating *433*
pressure sensors *427, 432, 557*
pressure swing *555*
pressure transducers *546*
pressure variation *558*
pressurization extruder *658*
primary extruder *675*
process data *390, 554, 584*
processing aids *662*
process stability *444*
process temperatures *542, 544*
production efficiency *466*
production rates *465*
productivity improvement *623*
product quality *466*
product variation *543*
propagation *44, 45*
proper equipment *464*
pseudoplastic *65*
pseudoplasticity *92*
pump ratio *441, 593*
purging *493, 661, 673*
pushing flight *223*

Q

quality control *478*
quality of the mixing *349*

R

radial bearing *422*
radicals *52*
random flow surging *556*
rate *319, 409*
rate increase *389, 617*
rate-limited *468, 591, 597, 614*
rate surge *567*
reaction chemistry *40*
recirculation flow *92*
reclaim pelletizing *617*
Recommended Dimensional Guideline for Single Screws *496, 501*
recrystallize *508*
rectangular channel *254*

recycle stream *114, 477*
reduced bulk density *399*
reduced rates *554*
reduce the cycle time *647*
redundant pressure sensors *429*
reference frame *261*
refurbishment *410, 460*
regrind *238*
relaxation time *72, 74*
relay *432*
reorganizing solid bed *203*
reorientation *334, 344, 353*
reorienting *362*
residence time *250, 321, 346, 499*
resin changes *389*
resin consumption *553*
resin cost *465, 541*
resin degradation *192*
resin deposits *533*
resin temperature *672*
resistive temperature devices *447*
restricted bond angles *335*
retrofit *362*
reversible reactions *53*
Reynolds bearing *231*
Rheopexy *65*
root causes *411, 413, 543, 567*
Ross mixer *368*
rotating screw *297*
rotation *259*
rotational flow *12, 122, 272, 287, 410, 439, 464, 568*
rotational flow rate *282, 287, 502, 604, 620*
routine maintenance *419*
rubbing in *150*
rupture disk *427, 428*

S

safety factor *404*
scale-down *389*
scale-up *389*
scaling rules *387, 388*
scrap rates *541*
screen packs *478*
screw *1, 425, 431, 445, 449, 452, 454, 562*
screw channels *416, 518*
screw design *595*
screw manufacturer *456*
screw modification *460*
screw root *450, 454*
screw rotation *238, 253, 259, 265, 270, 297, 300, 318, 723*
screw rotation analysis *11*
screw rotation theory *258*
Screw Simulator *119, 600*
screw speed *401, 409, 451, 533, 549*
screw surfaces *561*
screw temperature *452, 453, 560*
screw wear *419, 596*
seals *360*
secondary extruder *332, 674, 675*
secondary mixers *331, 353*
second flight *218*
selection of equipment *470*
semicrystalline *39*
sensitivity analysis *393*
service life *468*
shallow channel *301, 438*
shaping process *591*
shear rate *82, 83, 84, 362, 375*
shear refinement *377, 663*
shear strength *426*
shear stress *46, 82, 93, 120, 334, 357, 378*
shear-thinning *82, 287, 318*
shear viscosity *524*
sheave ratio *435*
short barrel *659*
silver spots *529*
simple rotational flow *387*
simulation *396, 401, 402*
simulation process *391*
single-flighted screw *526*
sinusoidal *91*
sled device *416*
sleeve rings *365*
slide valve *673*
sliding interface *119*
slip agents *662*
slipping *671*
SMX static mixer *371*
software controls *427*
solid bed *112, 144, 205, 217, 225, 229, 231, 234, 235, 348, 450, 572, 573, 628, 723*
solid bed breakup *234, 235, 349, 351, 542*
solid bed interfaces *210*
solid bed reorganizes *210*
solid fragments *353, 355, 603, 626*
solidification experiment *196, 199*
solids *350, 359*
solids blocking *551*
solids channel *219, 221, 223*
solids conveying *132, 134, 143, 462, 542, 560, 563, 576, 581, 600, 603*
solids conveying device *146, 158, 162*
solids conveying models *139, 705*
solids conveying rates *161*
solids-conveying zone *499, 544*
solids forwarding angle *136, 138*
solution viscosity *67*
specification of equipment *471*
specific energy *396, 439, 440*
specific rate *225, 320, 321, 443, 502, 532, 616, 644*
specific rotational flow rate *529*
SPI guideline *423*
spiral channel *429*
spiral dam mixers *333, 353, 354, 361, 362, 526, 530, 534, 535, 536, 572, 573*
splay *412, 500, 513, 516*

splay problem *536*
spontaneous mixing *335*
stability *443*
stabilization *47*
stabilizer *52*
stabilizers *53, 662*
stable operation *559*
stagnant regions *223, 491, 495, 512, 527*
stainless steel *456*
standing waves *92*
starve-fed *604, 660*
static mixer *367, 368, 372, 467*
statistical analysis *413*
steady-state temperature *449*
step reactions *40*
stereo structure *34*
storage modulus *93*
strain *74*
strain hardening *433*
strain rate *64*
Stratablend *650*
stream stripping *665*
stress *64, 74, 91, 362, 600*
stress refinement *377*
stretching *336, 337, 339, 340*
stretching rate *333*
stretch performance *507*
striations *336, 347, 348, 363*
stripping agent *364, 593, 662*
superposition principle *78*
supersaturated *671*
surface defects *414*
surface flaws *585*
surface temperatures *561, 564*
syndiotactic *34*

T

target rate *387*
technical solution *411*
temperature *97, 98, 297, 300, 301, 303, 306, 308, 315, 354, 445*
temperature calculation *314*
temperature control *542, 544, 553*
temperature gradient *154, 332*
temperature increase *259, 314*
temperature sensor *148, 567*
temperature zones *442*
tensile strength *61, 426*
termination *44, 45*
thermal conductivity *124*
thermal expansion *423, 424*
thermal gradients *332, 333, 353, 363, 367, 446, 514, 675, 676*
thermocouples *432*
thixotropy *65*
three-dimensional numerical method *282*
thrust *157*
time-dependent *72*
tools *416*
torque *91, 157, 435, 436, 592, 614*
torque balance *138*
total mass flow *15*
tracer particle *144, 145*
trailing flight *145*
transfer line *491, 567*
transformed frame *267, 268*
transformed velocity solutions *267*
transient process data *549, 570*
transition section *206, 218, 439, 441, 517, 612, 721, 723*
transverse barrier *224*
transverse flow *256*
trap *354, 364*
trial-and-error design *387*
troubleshooting *408, 543*
troubleshooting a process *546*
troubleshooting problems *15*
Turbo-Screws *680*
turbulence *335*
Twente mixing ring *365*
twin-screw extruders *1*

U

Ubbelohde viscometer *68*
ultracentrifugation *62*
undercut clearance *357*
uniform mixing *337*
Unimix screw *652*
unit operations *665*
unmelts *533*
unmixed gel *508*
unstable process *548, 559, 571, 585, 615*
unwrapped *248*

V

value analysis *466*
Variable Barrier Energy Transfer screws (VBET) *633, 641*
vectorial velocities *209*
velocity profiles *256*
vent diverter *595, 617*
vent flow *593, 619*
vinyl polymerization *40*
viscoelastic *72*
viscoelasticity *58*
viscoelastic model *75*
viscoelastic properties *73*
visco seal *430, 669, 670*
viscosity *57, 64, 335, 375*
viscosity average molecular weight *71*
viscosity ratio *374*
viscous *73*
visualization *250*
voids *510*
Voigt solid *74*
volumetric flow rate *271*

W

water cooling *546*
wave screws *235*
wear *422, 575*
weight average molecular weight *58*
welded material *461*
whirling process *457*
wiper flight *356*
wiping *681*
wire diameter *479*
wire shielding *434*
worn feed casing *583*
worn screw *598*
wrong resin *478*

Z

Ziegler-Natta catalyst *44*
zone screw temperatures *545*